Administrative Alternates



Development Services Customer Service Center | 1 Exchange Plaza, Suite 400 | Raleigh, NC 27601 | 919-996-2495 | efax 919-996-1831

Administrative Alternate Request: Requested in accordance with UDO Section 10.2.17	OFFICE USE ONLY
Section(s) of UDO affected: UDO section 3.2.5.F1 and UDO section 1.5.9. and UDO section 12.2 (definition of "Transparency"). See attached Exhibit A for an explanation of the requested alternate and responses to the required findings.	Transaction Number
Provide an explanation of the alternate requested, along with an applicant's statement of the findings Provide all associated case plan numbers including zoning and site plan: Subdivision: 536214, Sheetz Pre-Submittal: 539713, Sheetz Site Plan: 544907, SR-11-18	

Property Address2801 Wakefield Pines Drive (portion 2801 Wakefield Pines Drive (portion of)	of)				
Property PIN 1739-08-4787 (portion of)	Current Zoning CX-3				
Nearest Intersection New Falls of Neuse and Wakefield Pine	es	Property size (in acres) +/- 4.93 acres			
Property Owner Wakefield Outparcels, LLC 4943 US 301 South	Phone 919-868-4472	Mail 4943 US 301 South Benson, NC 27504			
Benson, NC 27504	Email mvkcommercial@gmail.com				
Project Contact Person	Phone 919-437-9859	Mail 5700 Sixth Avenue Altoona, PA 16602			
Tom Anastasi, Sheetz, Inc.	Email tanastas@sheetz.com				
Property Owner Signature	Email mvkcommercial@gmail.com				
Notary // W	Notary Signature and Seal				
Sworn and subscribed before me this 30 day of					
MARCH, 2018	JESSICA F. HAS Notary Public Wake Co., North Ca My Commission Expires Ju	rolina			

Exhibit A

Nature of Request:

The applicant is requesting an administrative alternate to the transparency requirements for the south-facing and west-facing elevations a general building on property zoned CX-3. Although windows will be provided that meet the minimum 33% standard, the windows do not meet the 80% transparency/15% external reflectance standard of UDO section 1.5.9.B.4. or the minimum distance of 4-feet maintained free of building materials, shelving or other impediments as required by the definition of "transparency" in UDO section 12.2.

An administrative site review application is under review by the City, with case number SR-11-18, which proposes a Sheetz convenience store with gas sales. The site plan is attached, which shows the orientation of the building. Also, the building elevations are attached.

Responses to Administrative Alternate Findings:

1. The approved alternate meets the intent of the transparency requirements.

Response: The intent of the transparency requirements is to (i) lend visual interest to street-facing building facades for both pedestrians and building occupants, and (ii) minimize blank wall areas. First, it is important to note that the two street-facing elevations are located approximately 40-feet from the sidewalk along Wakefield Pines Drive and over 90-feet from the sidewalk along Falls of Neuse Road. Also, a C2 street protective yard and additional landscaping must be planted between the sidewalks and the street-facing building sides. Third, most of the street-facing elevations are vertically separated from the nearby sidewalks due to severe grade changes around the site. Finally, the portions of the inside of the building along these building sides are back-of-house uses, such as kitchen, work room, utility room, and other areas that by their nature cannot have windows along the exterior of the building.


Instead of providing windows that meet the definition of "transparency", the applicant is providing translucent windows in an amount that meets the 33% transparency requirement on the western façade facing Wakefield Pines Drive. On the southern façade facing New Falls of Neuse, the applicant is proposing transparent windows that penetrate the building wall in an amount that meets the 33% UDO transparency ratio. Also, the applicant is providing an outdoor seating area along the south-facing building side, which provides visual interest to the public. Additionally, each street-facing elevation minimizes the blank wall area and provides changes in building materials, all of which provide visual interest and minimize the blank wall area.

2. The approved alternate conforms with the Comprehensive Plan and adopted City plans.

<u>Response</u>: The Comprehensive Plan and other City-adopted plans do not provide any direct, specific guidance with regard to this property. The alternate request is consistent with the following general Comprehensive Plan policies: Policy UD 1.3, Policy UD 4.7, and UDG #8.

3. The street-facing building façade utilizes other architectural treatments to create visual interest to offset the reduction in transparency.

Response: As noted above, each street-facing elevation provides: (i) translucent and/or transparent windows in an amount that meets the 33% transparency standard, (ii) a change of building materials and material color, and (iii) a change in roof line. Also, the south-facing elevation provides an outdoor seating area, building entrance with awning, and signage. All of these architectural treatments and building elements create visual interest to offset the reduction in transparency.



CITY OF RALEIGH AND/OR NCDOT STANDARDS AND SPECIFICATIONS.

SITE LEGEND ADA PARKING SPACE PROPOSED ADA ACCESSIBLE PATH DIRECTIONAL PAVEMENT MARKINGS

> PAVEMENT LEGEND BRICK PAVERS CONCRETE SIDEWALK

SITE D	DATA
EXISTING ZONING:	CX-3
EXISTING USE:	UNDEVELOPED
TOTAL SITE AREA:	1.51 ACRES (65,842 SF)
BUFFERS:	15' PROTECTIVE STREETYARD
PROPERTY SETBACKS:	PRIMARY STREET = 5'
	SIDE = 0'-6'
	REAR = 0'-6'
PROJECT DATA	
PROPOSED USE: CONVENIENCE STO	ORE & FUELING STATION
PIN#	1739-08-4787
PROPOSED # OF BUILDINGS	1 (4,893 GSF TOTAL)
BUILDING LOT COVERAGE:	7.43% (4,893 SF/65,842 SF)
VEHICULAR SURFACE AREA (NEW):	43.34% (28,537 SF/65,842 SF)
PARKING:	REQUIRED: (RESTAURANT) 1 SPACE/150 SF 1,893 SF/150 = 12.62 SPACES = 13 SPACES (RETAIL) 1 SPACE/300 SF 3,000 SF/300 = 10.00 SPACES = 10 SPACES TOTAL = 23 SPACES PROMDED: 34 SPACES
ACCESSIBLE PARKING:	VAN: 1 SPACE VEHICLE: 1 SPACE TOTAL: 2 SPACES
BIKE PARKING:	REQUIRED: 4 SHORT & 4 LONG TER PROVIDED: 4 SHORT & 4 LONG TER
PROPOSED BUILDING HEIGHT:	24'-7"
SITE IMPERVIOUS AREA:	ALLOWABLE: 74.4% PROPOSED: 74.4% (49,005 SF/65,842 SF)

FZ WAKEFIELI PINES PREPARED FOR HEETZ, INC.

SHEE

SHEET NUMBER

PRELIMINARY NOT FOR CONSTRUCTION

BASED ON THE FLOOD INSURANCE RATE MAP COMMUNITY

MAP NUMBER 3720173900J DATED MAY 2, 2006.

ALL CONSTRUCTION TO BE IN ACCORDANCE WITH ALL CITY OF RALEIGH AND/OR NCDOT STANDARDS AND SPECIFICATIONS.

AERIAL SITE FEATHIBIT

SHEETZ WAKEFIELD
PINES
PREPARED FOR
SHEETZ, INC.

PRELIMINARY


NOT FOR CONSTRUCTION


SHEET NUMBER C2.1


GRAPHIC SCALE IN FEET 0 30 60 120

EXISTING CONDITION NOTES: EXISTING INFORMATION TAKEN FROM AN ALTA/ACSM LAND TITLE SURVEY PROVIDED BY GSC SURVEYING, INC., 4072 BARRETT DRIVE, RALEIGH, N.C. 27609, PHONE: 919-787-5805 AND DATED OCTOBER 17, 2016. THE SUBJECT PROPERTY IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA. IT IS LOCATED IN ZONE X BASED ON THE FLOOD INSURANCE RATE MAP COMMUNITY MAP NUMBER 3720173900J DATED MAY 2, 2006.










WAKEFIELD PINES DRIVE CROSS SECTIONS



EXISTING CONDITION NOTES:

EXISTING INFORMATION TAKEN FROM AN ALTA/ACSM LAND TITLE SURVEY PROVIDED BY GSC SURVEYING, INC., 4072 BARRETT DRIVE, RALEIGH, N.C. 27609, PHONE: 919-787-5805 AND DATED OCTOBER 17, 2016.


THE SUBJECT PROPERTY IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA. IT IS LOCATED IN ZONE X BASED ON THE FLOOD INSURANCE RATE MAP COMMUNITY MAP NUMBER 3720173900J DATED MAY 2, 2006.


PRELIMINARY NOT FOR CONSTRUCTION

LINES OF SIGHT EXHIBIT

SHEE

SHEET NUMBER C2.2





PHOFIN

S. SUITE 600, RALEIGH, NC 27601

919-835-1494

© 2018 KIMLEY—HORN AND ASS 421 FAYETTEVILLE STREET, SUITE 600, PHONE: 919—835—14 WWW.KIMLEY—HORN.C

ALE AS SHOWN
SIGNED BY WWH
AWN BY WWH
COKED BY COB


DING AND VAGE PLAN

GRADING

EETZ WAKEFIELD
PINES
PREPARED FOR
SHEETZ, INC.

SHEET NUMBER

C3.0



LANDSCAPE NOTES:

- WEED BARRIER FABRIC: PLACE "DEWITT 15 YEAR WEED BARRIER" WOVEN POLYPROPYLENE OR APPROVED EQUAL IN ALL PLANT BEDS AND AT EACH TREE RING.
- PRE-EMERGENT: APPLY "SNAP SHOT 2.5 TG" OR APPROVED EQUAL TO ALL PLANT BEDS AND TREE RINGS PER MANUFACTURER'S RECOMMENDATIONS PRIOR TO PLACEMENT OF FINAL PLANT BED/TREE RING COVER.

+ de l'	LANDSCAPE R	EQUIREMENTS 8	CALCULATIONS					
ر ۱	[™] City of Raleigh UDO							
Wes	AREA TO BE LANDSCA	PED COD	E REQUIREMENT	STREET	SQUARE FEET/ LINEAR FEET	TOTAL QUANTITY REQUIRED	TOTAL QUANTITY PROVIDED	CODE SECTION
3 y: 11 d ,	VEHICULAR SURFACE A	REA 1 TREE PER 2,000 SF	OF VEHICULAR SURFACE AREA (VSA)	-	28,537 SF	28,537 / 2,000 = 15	15 SHADE TREES	7.1.7
otted t	OUTDOOR AMENITY AF	EA 10% (DF NET SITE AREA	-	1.50 AC	1.50 * 10% + .15 ACRES	.16 AC	1.5.3.C





EXISTING CONDITION NOTES: EXISTING INFORMATION TAKEN FROM AN ALTA/ACSM LAND TITLE SURVEY PROVIDED BY GSC SURVEYING, INC., 4072 BARRETT DRIVE, RALEIGH, N.C. 27609, PHONE: 919-787-5805 AND DATED OCTOBER 17, 2016. THE SUBJECT PROPERTY IS NOT LOCATED WITHIN A SPECIAL FLOOD HAZARD AREA. IT IS LOCATED IN ZONE X BASED ON THE FLOOD INSURANCE RATE MAP COMMUNITY MAP NUMBER 3720173900J DATED MAY 2, 2006.

PRELIMINARY NOT FOR CONSTRUCTION

SHEET NUMBER

SHEE.

ANDSC,

COMMON NAME

COMMON NAME

COMMON NAME

TALL FESCUE

PINK MUHLY

DWARF BURFORD HOLLY

CHINESE PISTACHE

CONT CAL SIZE


B&B 3.5"CAL 14'-16' HT.


<u>CONT</u> <u>WIDTH</u> <u>HEIGHT</u> <u>SPACING</u> <u>REMARKS</u>

1 GAL 8" 12" 30" o.c. MATCH


AMENITY AREA


LEGEND:





Wakefield Pines Side





FRONT ELEVATION (EAST: FACING GAS AWNING)

TRANSPARENCY CALCULATIONS: (BEYOND SCOPE OF UDO REQUIREMENTS)

ELEVATION AREA: 1408 SF (88' L x 16' H - TOP OF WALL PLATE)

REQUIRED TRANSPARENCY:
464.64 SF 33% OF ELEVATION AREA
232.32 SF 50% OF REQUIRED TRANSPARENCY

[(5) x (6' x 8')] + (12' x 14.67') 120 SF OPENINGS BETWEEN 3 & 8' ABV FIN GRADE

30.00 LF MAXIMUM ALLOWED DISTANCE

29.83 LF LONGEST BLANK WALL SEGMENT

LEFT ELEVATION (SOUTH: FACING NEW FALLS OF NEUSE ROAD)

TRANSPARENCY CALCULATIONS:

ELEVATION AREA: 901.28 SF (56.33' L x 16' H - TOP OF WALL PLATE)

REQUIRED TRANSPARENCY: 297.42 SF 33% OF ELEVATION AREA 148.71 SF 50% OF REQUIRED TRANSPARENCY

PROVIDED: 397.46 SF OPENINGS

[(2) x (6' x 10.67')] + (12' x 14.67') + (6.67' x 14') 149.37 SF OPENINGS BETWEEN 3 & 8' ABV FIN GRADE

BLANK WALL CALCULATIONS:
30.00 LF MAXIMUM ALLOWED DISTANCE


13.33 LF LONGEST BLANK WALL SEGMENT



LEFT ELEVATION (SOUTH)







REAR ELEVATION (WEST)

REAR ELEVATION (WEST: FACING WAKEFIELD PINES DRIVE)

TRANSPARENCY CALCULATIONS:

ELEVATION AREA: 1402.72 SF (87.67' L x 16' H - TOP OF WALL PLATE)

REQUIRED TRANSPARENCY: 462.90 SF 33% OF ELEVATION AREA 231.45 SF 50% OF REQUIRED TRANSPARENCY TO BE BETWEEN 3 & 8' ABV FIN GRADE

PROVIDED: 464.04 SF OPENINGS

[(7)* x (6' x 8')] + [(2)* x (6' x 10.67') 252.18 SF OPENINGS BETWEEN 3 & 8' ABV FIN GRADE * OPENINGS TRANSLUCENT TO SCREEN EQUIPMENT

BLANK WALL CALCULATIONS
30.00 LF MAXIMUM ALLOWED DISTANCE 8.00 LF LONGEST BLANK WALL SEGMENT

RIGHT ELEVATION (NORTH: FACING FUTURE RETAIL)

TRANSPARENCY CALCULATIONS: (BEYOND SCOPE OF UDO REQUIREMENTS)

ELEVATION AREA: 896 SF (56' L x 16' H - TOP OF WALL PLATE)

REQUIRED TRANSPARENCY: 295.68 SF 33% OF ELEVATION AREA 147.84 SF 50% OF REQUIRED TRANSPARENCY BETWEEN 3 & 8' ABV FIN GRADE

PROVIDED: 111.05 SF OPENINGS

[(3) x (3.33' x 2.67')] + (6.33' x 13.33') 31.65 SF OPENINGS BETWEEN 3 & 8' ABV FIN GRADE


BLANK WALL CALCULATIONS:
30.00 LF MAXIMUM ALLOWED DISTANCE 17.00 LF LONGEST BLANK WALL SEGMENT















AUTO DIESEL FLAG SIGN ELEVATION SCALE = NO SCALE AUTO DIESEL FLAG SIGN DETAIL SCALE = NO SCALE

AUTO DIESEL FLAG SIGN AREA = 5.08 SQ. FT.




GAS CANOPY SECTION SCALE: 1"=1'-0"



GAS CANOPY - PLAN VIEW

SCALE: NONE

4893 SQ. FT.



STONE COLUMN BASE DETAIL SCALE: NO SCALE



GAS STRUCTURE ELEVATION SCALE: 1/4"=1'-0"

SCALE: AS NOTED

rchitecture


X


onvenience, and Seu


0

and


DATE: *0*1-23-18 DRAWN BY: FILENAME: RALEIGH-AWNING








MONUMENT SIGN SIDE ELEVATION



SIGN AREA = 16.17 SQ.FT. PANEL HAS OPAQUE (NON-LIT) BACKGROUND



SIGN CABINET DETAILS TOTAL SIGN AREAS: 73.23 SQ. FT.

FILENAME: RALEIGH-MONU-SIGN

SCALE:

DATE:

DRAWN BY:

INT. OF WAK AND NEW FA

1/2" = 1'-0"

*0*1-23-18

rchitectur

renience

Conve

Illuminated Translucent Windows Per Feedback from Courtesy Administrative Alternate Hearing



Sample Electrical Box Painted Bronze per Per Feedback from Courtesy Administrative Alternate Hearing

